

Town of Brookfield

P.O. Box 83
Brookfield New York, 13314
(315)-899-3004

SOLID FUEL BURNING DEVICE PERMIT

Date: _____

Property Address: _____

Owner: _____

Address: _____

Phone: _____

Type of Unit: ___ Fireplace ___ Woodstove ___ Coal Stove
___ Pellet Stove ___ Corn Stove ___ Gas Insert

Room of use: _____

Floor Level: ___ Basement ___ 1st Floor ___ 2nd Floor

Stove Manufacture: _____

Stove Model #: _____

Stove Serial #: _____

BTU Rating: _____

Stove Clearances: _____ Left Side _____ Right Side
_____ Front _____ Top _____ Floor

Three (3) Screws in each pipe joint? ___ Yes ___ No ___ N/A

Distance of pipe to combustibles: _____

Type and size of non-combustible wall protection with a one (1) inch
air space: _____

Type and size of non-combustible hearth: _____
(must extend at least 12" from each side and 18" from the ash door)

Type of pipe from appliance to chimney: _____

Chimney Type: ___ Block/flue ___ Brick/flue
 ___ Double Wall ___ Triple Wall

Are there **SMOKE DETECTORS** in every bedroom and on every level of the structure including basements and cellars?


Is there a **CARBON MONOXIDE** detector on the lowest sleeping level?

Installation: ___ **APPROVED** ___ **REJECTED**


Reason(s) for REJECTION: _____

Permit cost: \$ 40.00


Stove Clearance




To prevent downdrafts and fire from sparks, chimney height must be at least 2 feet above any roof surface within 10 feet horizontally.




Prefabricated Chimney - Interior (Preferred) Installation



Prefabricated Chimney - Outside Installation



Chimney Connection



Per NFPA 211

FLOOR PROTECTION

* UNLESS STOVE IS ON A CONCRETE FLOOR, THIS FLOOR PROTECTION IS REQUIRED

